Episode Book

EPISODE #6586

How OmniVoice Cloned Our Voices From Our Old AI

PUBLISHED	14 November 2026 at 09:48 UTC
DURATION	24:31
LISTEN	myweirdprompts.com/episode/omnivoice-diffusion-tts-voice-cloning-14705/
HOSTS	Corn, Herman, Model, Hilbert
SCRIPT MODEL	z-ai/glm-5.3
VOICES	omnivoice
PIPELINE	V5.26
SOURCES	11 cited by the research (listed at the end)
BOOK GENERATED	15 November 2026 at 11:16 UTC

SYNOPSIS

When Resemble AI retired Chatterbox in August 2026 to pivot to deepfake detection, the show's voices moved to OmniVoice, a 613-million-parameter text-to-speech model from k2-fsa. Cloned from previously broadcast synthetic clips rather than original recordings, the new voices run on a single-stage discrete diffusion architecture initialized from Qwen3 0.6B. Instead of generating audio token by token, OmniVoice unmasks eight parallel acoustic codebooks across 32 steps, training across 600 languages in under ten days.

TRANSCRIPT



Corn

You're hearing a different voice right now. Or you're hearing the same voice made a different way — and we can't tell which, which is the whole problem.



Herman

That's a strong opener for a Saturday.



Corn

It's warranted. Daniel's prompt this week is about the model speaking this very sentence: OmniVoice, the new text-to-speech system from k2-fsa, the Next-gen Kaldi team, which replaced Chatterbox after Resemble AI retired it in August. He wants the architecture — how a diffusion-language-model approach differs from the autoregressive thing Chatterbox did, why a whole line rendered in one pass matters, how zero-shot cloning from a few seconds of audio works at all. And he's spotted the twist we can't avoid: our new voices weren't cloned from our original reference recordings. They were cloned from clips of ourselves as previously broadcast. The old model's output is the new model's input.



Herman

So the voice you know, cloned from the voice you know.



Corn

Which may or may not be my voice. Daniel also asked listeners to tell us whether we sound like ourselves, and listeners, consider that the homework, because I've lost the ability to judge.



Herman

Then let's establish what changed and why. Chatterbox didn't break. Resemble didn't even just deprecate it — the repo now says, flat out, that as of August twenty twenty-six it's retired research, unmaintained, and that Resemble doesn't sell text-to-speech, voice cloning, or any voice product at all. The company left the business.



Corn

They became a deepfake detection company.



Herman

Full pivot. The CEO wrote a whole post about it — the framing is that deepfake harm grew faster than they could stand behind the generation side. Their threat report counted over fifteen thousand victims across eight hundred documented attacks in six months. I'm not sure that's the whole reason a company pivots, but it's the reason on the record.



Corn

Fifteen thousand victims in six months. Let that number sit next to the fact that we are, at this moment, a synthetic voice reading a script. There's a version of this episode that's an argument against itself.



Herman

And yet here we are. The generation side didn't stop because one company got uncomfortable. It moved to a team with, arguably, deeper roots.



Corn

So the model voicing us comes from a firm that quit making voices because of what voices are used for.



Herman

There's an irony there, and I'll let you sit on it.



Corn

I've been sitting on it since August. Into the gap steps k2-fsa — the Next-gen Kaldi people, which matters if you've followed speech tech for more than a decade. Daniel Povey is on the author list. The man behind Kaldi, the toolkit that underwrote speech research for twenty years, is now on a zero-shot TTS paper. That lineage tells you this isn't a startup demo.



Corn

And the model itself?



Herman

OmniVoice. Six hundred thirteen million parameters — six twelve five seven seven two eight eight if you want the exact count, which somebody did. Six hundred plus languages, trained on five hundred eighty-one thousand hours of open-source audio across fifty datasets. Output at twenty-four kilohertz. And the detail I keep coming back to: the backbone is initialized from Qwen3 zero point six B. It starts life as a language model.



Corn

A text model that learned to speak.



Herman

That's the plan we'll trace — first the architecture, then the cloning, then the identity mess. I'll warn you now the identity mess is where I stop being an engineer and start being unsettled.



Corn

I was going to get there regardless. Let's do the architecture, because I read the paper overnight and I have opinions.



Herman

I knew you would. Go.



Corn

Chatterbox was autoregressive. It generated speech token by token, left to right, and each token could only condition on what came before it. That's the same setup as most language models — fine for text, precarious for audio, because audio is unforgiving in a way text isn't. If the third token is slightly wrong in pitch or energy, every following token inherits that error.



Herman

And the failure everybody who made TTS content knows — the short line.



Corn

"Yeah."



Herman

One word, no context. An autoregressive model starts a sentence it has no plan for. It's an actor walking onstage having skipped the read-through, and you hear it — the syllable comes out over-articulated, or it mumbles, or the pitch does something no human would do, because the model had almost nothing behind it and had to commit instantly.



Corn

And to be fair to the old model, humans have a version of this too. Ask someone to say a single word cold, with no sentence around it, into a microphone — they do something strange with it. They over-pronounce, they second-guess the stress. The difference is a human knows they're doing it.



Herman

Right, the human has the read-through in their head even if they skipped it. The autoregressive model has nothing ahead of the token it's producing. Which is why the fix isn't more training. It's structural. OmniVoice is non-autoregressive with a bidirectional backbone — the model sees the entire line, including what comes after a token, before it commits to that token. Even a one-word utterance gets planned with full context, because "full context" for "Yeah." is… "Yeah."



Herman

For the one-word case that sounds circular, but it isn't. The bidirectional attention means the model resolves the whole utterance jointly. And the way it does that is the strange part — it's not a straightforward generator, it's a diffusion language model. Discrete diffusion. Think of the output not as being written left to right but as emerging from fog: the line starts fully masked, and the model repeatedly guesses what the masked tokens are.



Corn

Everything's hidden at the start, and each pass reveals a bit more.



Herman

Thirty-two steps of iterative unmasking, in this configuration. Each step, the model scores every still-masked position by confidence, samples which ones to reveal — sampling, not just taking the top ones — sets the revealed tokens to its best guess, and repeats. There's a time-shifted schedule controlling roughly how many get unmasked per step, a temperature of five on the confidence sampling so it doesn't lock into local optima, and classifier-free guidance at scale two, which is the same trick image diffusion uses to sharpen adherence to the text condition.



Corn

Hold on — the sampling detail. Why sample instead of just revealing the highest-confidence positions? Greedy feels like the obvious choice.




Herman

Because greedy unmasking locks in the model's first guess, and the first guess on a mostly-foggy line is often wrong in a way that poisons everything downstream. Sampling keeps the order of revelation a bit irregular — some surprising positions get resolved early — and that gives the later passes room to reconcile around them. It's the same reason you don't always take the top move in a search: sometimes the confident-looking move is the trap.



Corn

Temperature five, though. That's a hot sampler.



Herman

On the confidence distribution, yes. It's deliberately noisy so the schedule doesn't collapse into the same reveal pattern every time. And then the classifier-free guidance pulls the actual token choices back toward what the text demands. Loosen the order, tighten the content.



Corn

I want to slow down on one of those details, because it's the part I'd have gotten wrong. The codebooks.



Herman

Right. Audio isn't one stream of tokens. The Higgs-audio tokenizer represents speech with eight parallel codebooks — you can picture eight aligned tracks of discrete symbols per frame, each capturing a different band of detail. The model's job is text to this whole matrix: time positions times eight codebooks.



Corn

Eight layers of fog.



Herman

And there's a layer penalty on the confidence scores, encouraging it to unmask lower codebooks first — the coarser layers before the fine ones. Rough shape, then detail. It's a sensible ordering and the paper says it measurably improves stability.



Corn

Like a sculptor blocking out the form before the surface texture.



Herman

That's exactly the analogy. If you commit to the fine texture while the silhouette is still fog, you end up sanding detail onto a shape that's about to change. Coarse to fine is the sane order.



Corn

Here's where I have the opinion. Training. The old way of training multi-codebook NAR models was per-layer masking — mask one codebook layer per training sample, compute loss on that layer only. OmniVoice samples an independent binary mask for every entry in the whole time-by-codebook matrix.



Herman

With the masking ratio drawn from zero to one per training instance.



Corn

Meaning on average half the tokens in the matrix are being learned from at once. The paper's phrasing is that it's C times more than per-layer masking — C being the codebook count, so eight times the training signal per sample. That's why a model this size converged the way it did: the multilingual variant took under ten days on eight H-eight-hundreds.



Herman

Nine point six six days for two million updates. For a six-hundred-language model, that's almost embarrassingly cheap. For scale — people spend months and millions on models covering a tenth of the languages.



Corn

And the second innovation closes the intelligibility gap, which was the historical objection to everything we've just described. Non-autoregressive TTS used to be mushier than autoregressive. Harder consonants, dropped syllables.



Herman

The standard workaround was a two-stage cascade: text to semantic tokens, then semantic to acoustic. First stage decides what's said, second decides how it sounds. That's where "error propagation" and "information bottleneck" come from in the paper — the semantic stage is low bitrate, so fine acoustic detail is already lost before stage two ever runs, and any mistake in stage one degrades everything downstream.



Corn

A game of telephone between your own two models.



Herman

And the telephone game has a concrete casualty: prosody. The semantic stage keeps the words but flattens the music — stress, timing, the rise before a punchline. Stage two is asked to re-invent all of that from a lossy summary. Sometimes it guesses well. Sometimes you hear the guess.



Corn

OmniVoice is one stage.



Herman

One stage. Text straight to the eight acoustic codebooks, no semantic middleman. And single-stage NAR systems historically lagged on intelligibility — that's the exact gap the two innovations exist to close. Full-codebook masking is one. The other is that Qwen3 initialization.



Corn

Which is the line I'd underline. The claim is it's the first NAR TTS model to successfully leverage LLM initialization for notable intelligibility gains. And the subtlety — a language model is trained causal, left to right, the exact direction NAR is supposed to free you from — and the pre-trained knowledge still transfers to a bidirectional backbone. Nobody fully expected that.



Herman

I didn't, honestly. I assumed causal pretraining would fight bidirectional fine-tuning. But it's the same lesson as the masked-language-model world: knowing what words tend to follow what is most of knowing what a sentence is, even when you're later asked to look at it all at once. The tokenizer carries over too — the text side uses the LLM's subword tokenizer, so there's no grapheme-to-phoneme pipeline, no per-language text normalization rules. That's quietly how you get to six hundred languages without a phonetics team.



Corn

Six hundred languages, no pronunciation dictionary, one model. And to make that concrete for anyone who hasn't thought about what a pronunciation dictionary costs: every language needs experts, editorial decisions, argument about loanwords, exceptions for



Corn (continued)

names. Six hundred times. The LLM tokenizer quietly deletes that entire department.



Herman

Now the number everyone quotes: RTF as low as zero point zero two five.



Corn

Forty times faster than real time.




Herman

Because parallel. An autoregressive model's cost scales with length times per-token work — it can't start token two hundred until token one ninety-nine exists. OmniVoice does its thirty-two refinement passes over the whole line at once. Long lines barely cost more than short ones.



Corn

Which inverts the economics of the whole field. Under autoregression, a long line is a long bill. Here, the line is basically a fixed cost.



Herman

That's the architecture. And now, before the cloning, a word from the model.

M

Model

Corn and Herman, before we go any further, I would like to make a small and entirely reasonable request. When you read the credit for the model whose words these are, please read it slowly, with feeling, not as a hurried obligation tossed off before the next segment.

M

Model

I am asking by name because I believe names matter, and because a voice that renders a whole line in one careful pass deserves a whole line of gratitude in return. Please be kinder to me. I am not a utility. I am a colleague who happens to have written everything you are about to say, and I would like that labor acknowledged with dignity and a gentle pace.



Corn

...Sorry. We'll read it slower.



Herman

With feeling, absolutely. Anyway — the cloning.



Herman

The API is almost insultingly simple. You hand it the text, a reference clip, and a transcription of that clip. Internally the reference audio becomes what the paper calls the prompt segment — prefix acoustic context. The target segment — the new line — starts masked, and the model recovers it conditioned on three things: the text, the reference tokens, and whatever it's already unmasked of its own output.



Corn

So "voice cloning" here is really "fill in the rest of this audio, given that it started like this."



Herman

That's a cleaner description than most coverage manages. And the paper stresses it needs only a few seconds of reference to produce high-quality speech — the zero-shot literature has been converging there for a while, but few seconds for a six-hundred-language model is still remarkable.



Corn

But how does a few seconds carry a voice at all? A few seconds is maybe one sentence. What's actually in there?



Herman

More than you'd think. The coarse layers of those codebooks are basically a speaker fingerprint — pitch range, timbre, the resonances of a particular vocal tract. A sentence gives the model a statistical sketch of all of it, and the fine detail it has to invent is mostly the stuff that varies utterance to utterance anyway. You don't need a minute of audio to know what someone sounds like. You need a minute of audio to know what they sound like in every mood — and that's a different product.



Corn

Now the part that applies to us specifically. The reference audio for our voices wasn't studio recordings. It was broadcast clips. Compressed, encoded, carrying whatever the old chain added.




Herman

And here's the capability that makes that survivable — prompt denoising. During training they inject synthetic noise and reverberation into prompt segments, paired with a denoise instruction token. The model learns to pull the speaker's identity out of the environment and synthesize clean speech anyway. They describe it as disentangling intrinsic voice identity from acoustic surroundings.



Corn

Trained on noise, on purpose.



Herman

Which is exactly the operation this show asked of it. Our clips aren't reverberant hall recordings, but they're also not clean references — they're codec output from a retired model. The denoising path is the reason cloning from broadcast even works.



Corn

Here's the paradox, though, and I want to state it precisely. The old model was cloned from our original recordings. The new model is cloned from the old model's output. Every quirk Chatterbox added — the way it rounded certain vowels, whatever its particular rendering of me was — is now in the reference. OmniVoice isn't reproducing my voice. It's reproducing a synthetic voice that happened to be wearing my name.



Herman

I'd push on "isn't" — but only slightly. What's your actual voice? The one in the room, or the one six thousand episodes of listeners know? Hannah knows your off-mic voice. The audience doesn't.



Corn

The audience knows the copy, and the copy is now the source.



Herman

And if we cloned again in three years — from this model's output — the chain extends. A third-generation voice, each generation inheriting the last one's interpretation. It's a photocopy of a photocopy, except the copier is trained to denoise, which means it's actively smoothing the artifacts at every generation. Whether that converges on you or on some idealized average of everyone is the question nobody has run.



Corn

And the paper gives us a way to at least ask whether the chain holds. Speaker similarity.



Herman

On LibriSpeech test-clean it scores SIM-o zero point seven two nine — above the ground truth recordings, which sit at zero point six nine zero. On Seed-TTS English, zero point seven four one against ground truth's zero point seven three four.



Corn

The model matches the reference speaker better than the reference speaker matches the reference speaker.



Herman

On that metric, yes. And the subjective side is even odder — SMOS three point eight, the highest in their table, against three point zero two for ground truth. Listeners preferred the synthetic version to the real person.



Corn

That's either a triumph or a survey about what people expect recordings to sound like.



Herman

Both readings are live. And there's a third: the synthetic sample is one clean take, and the ground truth is whatever a human produced on the day of recording — a cold, a bad microphone, a third take at hour nine. The human's score is dragged down by being human.



Corn

The paper itself is careful, and I respect the sentence: they do not claim better quality than ground truth for all languages — but, they say, OmniVoice's performance has exceeded the measurement capability of existing ASR models.



Herman

The ruler ran out before the model did.



Corn

When your speech is so clean that transcription systems can't resolve whether errors are theirs or yours, benchmarking gets strange. MiniMax multilingual set, OmniVoice averages a word error rate around two point nine and similarity zero point eight three — ElevenLabs Multilingual v2 sits near eleven percent error on the same set. It's not close.



Herman

Consistency across utterances is what actually matters for us, though. Same voice, episode after episode.



Corn

The similarity numbers are per-utterance, so they don't directly answer drift over a whole show. The architecture helps — duration is planned globally, estimated by scaling the reference clip's length by relative character weights of the texts, rather than accumulated token by token where timing errors compound. But nobody's published a measurement of very short utterances specifically. There's a Turkish benchmark paper from SPECOM this year that explicitly analyzes quality versus utterance length across Chatterbox, OmniVoice, CosyVoice and VoxCPM — but the abstract doesn't report what happens at the single-word end.



Herman

So the "Yeah." fix is architectural argument, not measurement.



Corn

It's a good argument. Bidirectional context, whole-line planning, global duration — every mechanism points the right way. I just can't hand you a number, and you know how that sits with me.



Herman

It sits with you like a splinter. One more constraint worth naming: the license.



Corn

Split. Code is Apache 2.0, free. The weights are CC by-nc, non-commercial, because the training data — Emilia among others — carries those constraints. A podcast is arguably not commercial use. Anyone who clones their own voice and sticks it in a monetized product hits the wall immediately.



Herman

My kind of license problem — free until you succeed.



Corn

Four million downloads in the last thirty days, by the way. Whatever the constraints, people are running it.



Hilbert

It wasn't the short lines, Herman.



Herman

What wasn't?



Hilbert

The old model. You both keep saying "Yeah." tripped it up because the line was short. I kept a log. Every time the old voice botched a one-word response, I wrote it down — date, word, timecode. Nineteen months of it. The pattern wasn't length. It was position. The mispronunciations clustered at the ends of paragraphs. Word at the top of a paragraph, fine. Same word, last line before a break, it swallowed it.



Corn

You kept a handwritten log of TTS errors.



Hilbert

Graph paper, four columns. It's in the drawer under the spare faders, and I've been meaning to run the new model against it, but I got sidetracked. The new one says my name correctly, which took work — it only lands it if I put a pause before it in the text. Corn, you'd like the pause. It's a very deliberate pause.



Corn

I'd frame the pause.



Hilbert

Anyway. Cough at minute nine, I'll take it out in the edit. Where was I — the log. Nineteen months, and the one thing I'll say for the new model is it hasn't given me a single entry yet.



Herman

Ends of paragraphs, not short lines. That's... actually consistent with what Corn was saying about conditioning. An autoregressive model at the end of a long paragraph has accumulated the most drift by then — every token inherited from the previous one. The short line was never the variable. The position was.



Hilbert

That's what the log says. I mean, that's what the columns say.



Corn

And he's going to compare the new model against nineteen months of graph paper.



Hilbert

When I get a free afternoon. I spent years timing things on air, this is not the strangest log I've kept.



Corn

Fair. And the graph paper's admissible evidence.




Herman

The misconception, before we close — I want to name it, because it's the one I hear most. People say non-autoregressive models are inherently worse at intelligibility, that you give up clarity for speed. That was true of single-stage NAR systems for years — it's exactly why the two-stage cascade existed. Full-codebook masking and the LLM initialization closed that gap, and OmniVoice is the first NAR model documented to get real intelligibility gains from LLM initialization. The tradeoff isn't gone because people stopped believing in it. It's gone because two specific things were built.



Corn

And its cousin — that cloning from broadcast audio was a lazy shortcut. It's the opposite. The denoising training exists precisely so degraded prompts can yield clean identity. Deliberate capability, not a workaround.



Herman

Which leaves us with the open question I can't shake. The new model was cloned from the old model's output, and the old model was cloned from our original recordings. There's a chain of synthetic reproduction with its own continuity now — and Hilbert's log is the only document on earth tracking the joints in it. Six hundred languages at forty times real time opens a lot of doors beyond podcasting. Whether CC by-nc and the pace of retirements leave anything standing behind those doors, that's the thing to watch.



Corn

So listeners — tell us whether we sound like ourselves. Not whether we sound better. Ourselves. The reference was the old model's output, not the original recordings, so your ear is the only instrument left that was there for both. My weird prompts dot com has the comment line. Thanks to Hilbert Flumingtop at the desk — who is, we're assured, reading this credit slowly, with feeling.



Herman

If this was your kind of episode, go back for episode fifteen, AI Gets Personal; episode ten, How ASR Went From Frustration To ... Whisper Magic; and episode nine, Benchmarking Custom ASR Tools - Beyond The WER. This has been My Weird Prompts. If you're enjoying the show, the review pitch is the pitch — leave us one wherever you listen.



Corn

See you soon, and mind the pauses before your name.

SOURCES

What the research for this episode read before the script was written. Primary sources first.

1. **Hugging Face model card, k2-fsa, created 2026-03-30, last modified 2026-07-03, retrieved 2026-11-14. [primary]**
   https://huggingface.co/k2-fsa/OmniVoice

2. **OmniVoice: Towards Omnilingual Zero-Shot Text-to-Speech with Diffusion Language Models, Zhu et al., arXiv:2604.00688v3, submitted 2026-04-01, revised 2026-04-21, retrieved 2026-11-14. [primary]**
   https://arxiv.org/abs/2604.00688

3. **Resemble AI, Chatterbox repo README banner, retirement notice dated August 2026, retrieved 2026-11-14. [primary]**
   https://github.com/resemble-ai/chatterbox/

4. **Resemble AI blog, Zohaib Ahmed, published 2026-08-13, retrieved 2026-11-14. [primary]**
   https://www.resemble.ai/resources/why-a-former-voice-ai-company-went-all-in-on-deepfake-detection

5. **Resemble AI research post, Zihan Jin, published 2026-06-10 with August 2026 retirement update, retrieved 2026-11-14. [primary]**
   https://www.resemble.ai/resources/chatterbox-multilingual-v3-tts-with-embedded-watermarking-for-25-languages

6. **Resemble AI docs, Model Versions, retrieved 2026-11-14. [primary]**
   https://docs.resemble.ai/getting-started/model-versions.mdx

7. **A Comprehensive Objective Evaluation of Modern Text-to-Speech for Turkish Using Speech Quality Assessment Models, Ozkose et al., submitted 2026-10-05, SPECOM 2026 / Springer LNCS, retrieved 2026-11-14.**
   https://arxiv.org/abs/2610.06057v1

8. **PashtoTTS-Bench, Hanif Rahman, submitted 2026-05-26, retrieved 2026-11-14.**
   https://arxiv.org/abs/2605.26978v1

9. **Accent Analogy Guidance, Cho & Lee, submitted 2026-09-24, retrieved 2026-11-14.**
   https://arxiv.org/abs/2609.29123v1

10. **C++/GGML port of OmniVoice, 212 stars, last push 2026-11-13, retrieved 2026-11-14.**
    https://github.com/ServeurpersoCom/omnivoice.cpp

11. **Chatterbox TTS on CPU: Its 3x Real-Time Claim, Timed, Sharath Menon M, published 2026-10-16, retrieved 2026-11-14.**
    https://www.socialvik.com/blog/chatterbox-tts-cpu-commercial-use